

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	414	303/155,162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:48
L2	0	1 and (industrial adj truck\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:48
L3	393	303/191,dig.1,dig.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:48
L4	370	3 not 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:48
L5	0	4 and (industrial adj truck\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 07:17
L6	24	(three adj phase adj motor\$1) near advantage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 07:18
L7	0	6 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 07:18
S10	40	(huther-s\$1 or manken-f\$ or nissen-n\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:04
S11	42	(huther-s\$ or manken-f\$ or nissen-n\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:16
S12	12	S11 and brak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:19

S13	2852	303/3,5,7,15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:58
S14	17	S13 and (motor same actual same (compar\$3 or comparison or comparator\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:27
S15	0	(actual with (compar\$3 or comparison or comparator\$1) with desired with force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:31
S16	1	(actual with (compar\$3 or comparison or comparator\$1) with desire\$1 with force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:32
S17	245	(actual same (compar\$3 or comparison or comparator\$1) same desire\$1 same force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:57
S18	35	S17 and (brak\$3 same motor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:33
S19	1	("3080019").URPN.	USPAT	OR	OFF	2004/12/20 14:47
S20	14	("3790225"   "4327414"   "4865162"   "4986614"   "4997237"   "5219216"   "5264767"   "5320421"   "5333706"   "5366280"   "5385394"   "5558409"   "5611606"   "5829557").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 14:49
S21	60066	("303"/\$ or "701"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:58
S22	36	S21 and (three adj phase adj motor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:04
S23	0	S21 and (motor same actual same desired same force same brak\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:04

S24	0	S21 and (actual same desired same force same brak\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:04
S25	0	S21 and (actual same desired same force same motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:05
S26	0	S21 and (actual same desired same force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:05
S27	72	S21 and (actual same desire\$1 same force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:05
S28	14	S21 and (actual same desire\$1 same force same motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:07
S29	4	S21 and (actual with nominal with force with (compar\$3 or comparator\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:10
S30	6	(actual with nominal with force with (compar\$3 or comparator\$1)) same motor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:10
S31	290	(actual same (compar\$3 or comparison or comparator\$1) same desire\$1 same (force or torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:11
S32	74	S31 and brak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:58
S33	20	S31 and ("303"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:59

S34	25	S31 and "701"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:58
S35	20	S31 and ("280"/\$ or "180"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:58
S36	621	(actual same (compar\$3 or comparison or comparator\$1) same (desire\$1 or nominal) same (force or torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:01
S37	43	S36 and ("303"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:00
S38	38	S36 and ("701"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:26
S39	28	S36 and ("180"/\$ or "280"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:02
S40	16	S36 and ("303"/\$.ccls.) and (front with rear with wheel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:10
S41	3	(actual same (compar\$3 or comparison or comparator\$1) same desire\$1 same (force or torque) same front same rear same wheel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:12
S42	940	ichikawa and rpm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:23
S43	1	ichikawa and (front same rear same axle same rpm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:24
S44	1	("5634699").PN.	USPAT	OR	OFF	2004/12/30 12:24

S45	3	("4107776"   "4242995"   "4606322").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/30 12:36
S46	139	("303"/187,188.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:01
S47	3	S46 and ((desire\$1 or nominal) with actual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:03
S48	36	((desire\$1 or nominal) with actual) same (torque with force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:11
S49	601	jungheinrich	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:11
S50	0	S49 and ((industrial adj truck\$1) with brak\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:12
S51	87	S49 and (brak\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:12
S52	2	S51 and ((nominal or desire\$1) with actual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:15
S53	282	303/9.62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:46
S54	0	S53 and (actual same (nominal or desire\$1) same force same torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:17

S55	0	S53 and (actual same (nominal or desire\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:17
S56	16	S53 and ((nominal or desire\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:17
S57	278	(current adj regulator) with characteristic\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:18
S58	1	S57 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:05
S59	3	S57 and "701"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:05
S60	19	(current adj regulator) and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:08
S61	300	(current adj regulator\$1) with characteristic\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:18
S62	4	S61 and ("303"/\$ or "701"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:23
S63	5	(industrial adj truck\$1) and (three adj phase adj motor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:39
S66	3	((("5752588") or ("6102825") or ("5003842"))).PN.	USPAT	OR	OFF	2005/01/04 07:07
S67	2	((("3289062") or ("5117163"))).PN.	USPAT	OR	OFF	2005/01/04 07:07

S68	5	(industrial adj truck\$1) and (brak\$3 with lift\$3 with height)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:11
S69	2	"5057728".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:12
S70	0	"1301826."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:12
S71	10	"1301826"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:12
S72	4	"01301826"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:12
S73	16	"362517"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:13
S74	10	"446421"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:13
S75	82	(brak\$4 with monitor\$3 with (error or failure) with (steering or device or pedal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:18
S76	1	S75 and ((industrial adj truck) or lorry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:16
S77	9	(brak\$4 with monitor\$3 with (error or failure) with (steering or device or pedal) with emergency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:26
S78	2	((("5752588") or ("6102825")).PN.	USPAT	OR	OFF	2005/01/04 14:19

S79	0	(brak\$4 with (monitor\$3 adj device) with (error or failure) with emergency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:27
S80	23	(brak\$4 with (monitor\$3 adj device) with (error or failure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:30
S81	2	((("5752588") or ("6102825")).PN.	USPAT	OR	OFF	2005/01/05 17:08
S82	2	((("6554047") or ("6527035")).PN.	USPAT	OR	OFF	2005/01/05 17:46
S83	1	("6740125").PN.	USPAT	OR	OFF	2005/01/05 17:46
S84	38	(brak\$4 with (monitor\$3) with (error or failure) with (emergency or assist\$3 or auxiliary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:31
S85	60	303/9.62.ccls. and (failure\$1 or error\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:51
S86	580	(front with rear with brak\$3 with (failure\$1 or error\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:51
S87	80	(front with rear with brak\$3 with (failure\$1 or error\$1) with (emergency or auxiliary or increased or assist\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 20:03
S88	202	((emergency or auxiliary or increased or assist\$3) with brak\$3 with (time near delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 20:07
S89	57	S88 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 20:03
S90	3	((emergency or auxiliary or increased or assist\$3) with brak\$3 with (time near delay near (member or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 20:10



S91	56	((emergency or auxiliary or increased or assist\$3) with brak\$3 with (time with delay with (member or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:47
-----	----	--	---	----	-----	------------------